

PRESTIGE POWER SOLUTIONS (Pty) Ltd Reg. no. 2013/178732/07 www.prestigepower.co.za e-mail: sales@prestigepower.co.za

Solar LED lighting (Locally manufactured) standard Pricelist				
PIC	Code	Description	Unit Price	
	SFSOLDECPT12W Locally manufactured range	 3 - 3.5 (76mm) pole - Galvanized and powder coated, choice of colours (local) 50w solar panel (local) 12w Sharp DC E27 LED globe - 1000im (Assembled in SA) 10 amp regulator, IP68 (Assembled in SA) Helukabel Solar cable pre made wirring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 50 amp Gel (import) 60 amp deep cycle (local) Base mount Battery box, Mild steel with powder coat, lockable (local) Product data sheet on request with more descriptive information provided Locally manufactured so we can customize the design to suit your needs or requirements Dimmable option available to reduce sizing on components and to reduce cost 	Complete R9 656	
	SFSOLFL6 Locally manufactured range	3.2 - 3mtr pole - Galvanized pole (local) 20w solar panel (local)	Complete R4 000	
	6W Bridgelux Flood on 2.5 meter surface pole	6w Bridgelux or Forepi chip LED flood - 600lm (Assembled in SA) 5 amp regulator, IP68 (OEM Sunfor) Helukabel Solar cable pre made wiring & bolt kits (local) 26 amp deep cycle (local) TOP mount Battery box, Mild steel with powder coat, lockable (local) or pole side mount or bottom mount battery box with lock	Top section only R 2 909.00	
		Product data sheet on request with more descriptive information provided		
		Poles supplied in round 76 mm (prices quoted are standard round buried poles)		
	SFSOLFL10W	3.5 - 4 pole - Galvanized and powder coated, choice of colours (local)	Complete R6 834	
	Locally manufactured range	50w solar panel (local) 10w Nichia / Bridgelux or Forepi chip LED flood - 1000lm (Assembled in SA) 6 amp regulator, IP68 (OEM Sunfor) Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 50 amp Gel (import) 60 amp deep cycle (local) TOP mount Battery box, Mild steel with powder coat, lockable (local)	Top section only R 5 308.00	
		Product data sheet on request with more descriptive information provided Poles supplied in round 76 mm or square 80 x 80 mm as buried or Plinth & bolt cage design (prices quoted are standard round buried poles)		
	10W Nichia Flood on 4 meter surface pole SFSOLFL20 (2 X 10W)	3 - 4 meter, pole - Galvanized and powder coated, choice of colours (local)	Complete R8 778	
	Locally manufactured range	 3 - 4 meter pole - Galvanized and powder coated, choice of colours (local) B5w solar panel (local) 10w Nichia / Bridgelux or Forepi chip LED flood - 1000lm (Assembled in SA) 10 amp regulator, IP68 (OEM Suffor) Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 100 amp Gel (import) 105 amp deep cycle (local) TOP mount Battery box, Mild steel with powder coat, lockable (local) Product data sheet on request with more descriptive information provided Poles supplied in round 76 mm or square 80 x 80 as buried or Plinth 	Top section only R 7 022.00	
		& bolt cage design (prices quoted are standard round buried poles)		
	Dimmable option available to reduce sizing on components and to reduce cost	Various sizes and models available from 10 - 100w in single, double and triple light configurations per pole		
	SFSOLFL40 (2 X 20W) Locally manufactured range	6 meter pole - Galvanized and powder coated, choice of colours (local) 145w solar panel (local) 20w Nichia / Bridgelux or Forepi chip LED flood - 2000lm x 2(Assembled in SA) 20 amp regulator, IP68 (OEM Sunfor) Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 150 amp Gel (import) 105 amp deep cycle X2 (local) TOP mount Battery box, Mild steel with powder coat, lockable (local) Product data sheet on request with more descriptive information provided Poles supplied in round 101-114 mm or square 100 x 100 as buried or Plinth & bolt cage design (prices quoted are standard round buried poles)	Complete R19 43 Top section only R 15 424.00	
	Dimmable option available to reduce sizing on	Various sizes and models available from 10 - 100w in single, double and triple light configurations per pole		



PRESTIGE POWER SOLUTIONS (Pty) Ltd Reg. no. 2013/178732/07 www.prestigepower.co.za e-mail: sales@prestigepower.co.za

PIC	3 3 3 3	nanufactured) standard Pricelist	
110	Code	Description	Unit Price
	SFSOLFL60 (2 X 30W) Locally manufactured range	 6 - 7 meter pole - Galvanized and powder coated, choice of colours (local) 150w solar panel or 100w x 2 (local) 30w Nichia / Bridgelux or Forepi chip LED flood - 3000lm x 2(Assembled in SA) 20 amp regulator, IP68 (OEM Sunfor) Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 150 amp Gel X 2 (import) 105 amp deep cycle X2 (local) TOP mount Battery box, Mild steel with powder coat, lockable (local) Product data sheet on request with more descriptive information provided Poles supplied in round 101-114 mm or square 100 x 100 as buried or Plinth & bolt cage design (prices quoted are standard round buried poles) 	R 22 572.00
	Dimmable option available to reduce sizing on components and to reduce cost	Various sizes and models available from 10 - 100w in single, double and triple light configurations per pole	
	SFSOLST12W Locally manufactured range Dimmable option available to reduce sizing on components and to reduce cost	 3.5 - 4.5 pole - Galvanized and powder coated, choice of colours (local) 50w solar panel (local) 12w Bridgelux or Forepi chip LED street - 1200 / 1560lm (Assembled in SA) 10 amp regulator, iP68 (OEM Sunfor) Helukabel Solar cable per made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 50 amp Gel (import) 60 amp deep cycle (local) TOP mount Battery box, Mild steel with powder coat, lockable (local) 	Complete R8 778 Top section only R 6 270.00
		Product data sheet on request with more descriptive information provided Poles supplied in round 76 mm or square 80 x 80 as buried or Plinth & bolt cage design (prices quoted are standard round buried poles)	
1	SFSOLST20 (1) - Dimmable model Locally manufactured range	5m pole - Galvanized and powder coated, choice of colours (local) 85w solar panel (local) 20w Bridgelux or Forepi chip LED Street - 2400 / 2600lm (Assembled in SA) 10 amp requlator, IP68 SHr 100% /5 Hr 50% dimming (DEM Sunfor) Helukabel Solar cable per made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 50 amp Gel	Complete R11 184 Top section only R 8 426.00
	SFSOLST20W Locally manufactured range	6m pole - Galvanized and powder coated, choice of colours (local) 100w solar pagel (local)	20w Complete R14 92
		100w solar panel (local) 20w Bridgelux or Forei chip LED street - 2400 / 2600lm (Assembled in SA) 10 amp regulator, IP68 (OEM Sunfor) Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 100 amp Gel (import) 100 amp deep cycle (local)	Top section only 20w R12 164
		Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured	Top section only 20w R12 164
	2 x 20W on 6 meter surface pole - Lesotho	Helukabel Solar cable pre made wiring & bolk kits (local) Lumenaire (choice of designs) locally manufactured 100 amp Gel (import) 100 amp deep cycle (local) TOP mount Battery box, Mild steel with powder coat, lockable (local) Product data sheet on request with more descriptive information provided Poles supplied in round 114-127 mm as buried or Plinth & bolt cage design (prices quoted are standard round buried poles) We can also supply decorative designs on arms for single or double configurations	20w R12 164
		Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 100 amp Gel (import) 100 amp deep cycle (local) TOP mount Battery box, Mild steel with powder coat, lockable (local) Product data sheet on request with more descriptive information provided Poles supplied in round 114-127 mm as buried or Plinth & bolt cage design (prices quoted are standard round buried poles)	20w R12 164
	a 2 20W on 6 meter surface pole - Lesotho SFSOLST24W	Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 100 amp Gel (import) 100 amp deep cycle (local) TOP mount Battery box, Mild steel with powder coat, lockable (local) Product data sheet on request with more descriptive information provided Poles supplied in round 114-127 mm as buried or Plinth & bolt cage design (prices quoted are standard round buried poles) We can also supply decorative designs on arms for single or double configurations 6 meter pole - Galvanized and powder coated, choice of colours (local) 85w solar panel (local) 24w Osram LED street - 2952lm (Assembled in SA) 10 amp regulator, IP68 (OEM Sunfor) Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured 100 amp Gel (import) 100 amp deep cycle (local)	20w R12 164 24w complete R15 67 Top section only



PRESTIGE POWER SOLUTIONS (Pty) Ltd Reg. no. 2013/178732/07 www.prestigepower.co.za e-mail: sales@prestigepower.co.za

	Solar LED lighting (Locally manuf	·	Unit Price
PIC	Code	Description	0
m	SFSOLST30 - 36W	6 - 7 meter pole - Galvanized and powder coated, choice of colours (local)	
	Locally manufactured range	100 - 135w solar panel (local) 30 - 36w / Bridgelux, Osram or Forepi chip LED street - 3000 - 3750 (Assembled in SA)	30w Complete R1 36W complete R1
T		10 amp regulator, IP68 (OEM Sunfor)	30W complete Ki
		Helukabel Solar cable pre made wiring & bolt kits (local)	Top section or
	s: /2	Lumenaire (choice of designs) locally manufactured	30w R13 919
		150 amp Gel (import) 100 amp deep cycle x 2(local) TOP mount Battery box, Mild steel with powder coat, lockable (local)	36w R14 296
	1. Transactory of the second	TOP mount battery box, while steel with powder coat, lockable (local)	
		Product data sheet on request with more descriptive information provided	
		Poles supplied in round 114-127 mm as buried or Plinth	
		& bolt cage design (prices quoted are standard round buried poles)	
A WING STREET			
		Dimmable option available to reduce sizing on components and to reduce cost	
	30W & 36W supplied along RBT Pretoria - 6 meter surface	components and to reduce cost	
		O motor ourfood polo. Columnized and pourder control, sholed of colours (level)	Complete D10
	SFSOLST40W Locally manufactured range	8 meter surface pole - Galvanized and powder coated, choice of colours (local) 145w solar panel (local)	Complete R19
		40w Bridgelux or Forepi chip LED flood - 4000lm (Assembled in SA)	Top section of
		20 amp regulator, IP68 (OEM Sunfor)	R 15 926.00
		Helukabel Solar cable pre made wiring & bolt kits (local) Lumenaire (choice of designs) locally manufactured	
		100 amp Gel x 2 / 1 x 200 amp Gel (import) / 2 x 100 amp deep cycle (local)	
and the second second		TOP mount Battery box, Mild steel with powder coat, lockable (local)	
1 2 2 2			
		Product data sheet on request with more descriptive information provided	
and a second second		Poles supplied in round 114-127 mm as buried or Plinth	
		& bolt cage design (prices quoted are standard round buried poles)	
	A REAL PROPERTY OF	Dimmable option available to reduce sizing on	
	40W on 8 meter surface poles - Lesotho	components and to reduce cost	
	SFSOLST48 - 50	8 meter surface pole - Galvanized and powder coated, choice of colours (local)	Complete R20 8
		145w solar panel (local)	
		48-50w Bridgelux or Forepi chip LED flood - 4800 - 5500m (Assembled in SA) 20 amp regulator, IP68 (OEM Sunfor)	Top section or R 16 804.00
		Helukabel Solar cable pre made wiring & bolt kits (local)	K 10 004.00
		Lumenaire (choice of designs) locally manufactured	
		100 amp Gel x 2 / 1 x 200 amp Gel (import) / 2 x 100 amp deep cycle (local)	
r		TOP mount Battery box, Mild steel with powder coat, lockable (local)	
	the state of the state of the state of	Product data sheet on request with more descriptive information provided	
		Poles supplied in round 127 - 139mm as buried or Plinth	
		& bolt cage design (prices quoted are standard round buried poles)	
	48W in DRC - Lumbumbashi - 8 meter surface poles	Dimmable option available to reduce sizing on components and to reduce cost	
	-	•	01 - 525
	SFSOLST60	8 - 9 meter pole - Galvanized and powder coated, choice of colours (local) 145w solar panel (local)	Complete R23
	and the second sec	60w Bridgelux or Forepi chip LED flood - 6000 - 6300lm (Assembled in SA)	Top section o
all the all the		20 amp regulator, IP68 (OEM Sunfor) Helukabel Solar cable pre made wiring & bolt kits (local)	R 18 810.00
		Lumenaire (choice of designs) locally manufactured	
		2 x 150 amp Gel (import) 2 x 100 amp deep cycle (local)	
		TOP mount Battery box, Mild steel with powder coat, lockable (local)	
1 Same Bring	A Recommunition		
		Product data sheet on request with more descriptive information provided	
		Dolog supplied in round 114, 127, 120mm as burged as Diath	
		Poles supplied in round 114 - 127 - 139mm as buried or Plinth & bolt cage design (prices quoted are standard round buried poles)	
		Standard warranties	
		LED chip 5 years, LED driver 3 years, Solar regulator 3 years	
		LED chip 5 years, LED driver 3 years, Solar regulator 3 years Battery 1 year, Battery box 3 years, wiring and bolt / nut kits 3 years	
	Offices - 60W 4000 & 6000k - 7.8 meter surface	LED chip 5 years, LED driver 3 years, Solar regulator 3 years	

All Prices are subject to change without notice.

Specifications can be tailored to suit your needs. Please indicate your unique situation to enable us to spec, your lighting and ensure correct sizing of the Solar and batteries. Factors that can influence the installation is the area of your project and the wattage of LED light required.